

Hi John:

Thank you very much for sharing your information allowing me the opportunity to present a thoughtful reply. Your original information is posted word-for-word in the coming newsletter with my reply to some of your points.

Thanks again,

Terral

Terral's Reply:

John wrote: Hi Gary, I do not know what specifics your friend in Arizona heard about the date, March 26th, 2016 in regard to Planet X.

Anyone curious about the source of the March 26, 2016 Warnings need look no farther than Gill Broussard and his Planet7X:

<https://seashoremary.wordpress.com/2015/06/24/planet-7x-aka-nibiru-timeline-of-events/>

Look down at his Diagram:

For me, many of Broussard's statements (start on Page 3 of 2015 Newsletter Volume 16) are nonsensical and amusing at best. Broussard's Planet7X supposedly has already crossed Earth Orbit Path (January 10, 2016) and is reaching perihelion with the Sun on February 17, 2017 (38 days from 1.10.2016) to then cross Earth Orbit Path again on March 25-26, 2016 creating inner solar system environmental conditions for a Planet7X/Earth Crossing Event. Somehow this object that is seven times Earth mass and comprised of regularly-spaced subatomic particles has gone undetected by everyone from novice to professional astronomers, if you are inclined to follow his logic; which I most certainly do not. The kind of object Broussard has been tracking all these years would be picked up by amateur astronomers around the world using backyard telescopes, which is definitely not happening. Broussard's approach ignores the current seismic patterns that match the Magnetic North Pole Migration patterns to a Tee.

Broussard's object was never in position to generate the 8.8 Chile Quake (2.27.2010), or Fukushima (3.11.2011) or Guerrero (3.20.2012) being much too far left in the orbit diagram on the wrong trajectory. His object was never in position to turn Earth magnetosphere around for more than a full day on March 12, 2012 (GIF reconstruction and my video) and never in position to create the Mystery Martian Dust Storm (link and my video) that started on the same date. Supposedly his Planet7X object will be in position between the Sun and Earth to produce an eclipse that lasts three days, which is absolutely impossible. The three days of darkness is caused by Sun/Black Star near proximity and shortening of the Sun/Black Star magnetic portal connection allowing the Black Star to siphon sufficient electromagnetic energy to turn the Sun "dark" (Matt. 24:29) and "black as sackcloth" for the three-day period, as we watch the coronal holes become larger and larger even today from nearing Sun/Black Star proximity:

John wrote: Naturally, the magnitude of the alignment force is the key factor determining whether or

not the alignment stress is sufficient to overcome the inertia of Earth's gravitationally targeted and more precariously situated tectonic plates. Thus, the iffyness of the earthquake threat rests upon the composite degree of those two variables: alignment stress and Earth's tectonic load resistance.

Your commentary applies to Sun/Earth/Black Star nearside-alignment quake events like Chile, Fukushima and the recent 7.8 Nepal Quake and backside-alignment quake events like the 7.1 Christchurch Quake (9.4.2010), 7.3 Fiji Quake (9.15.2011) including the recent 7.7 Peruvian Quakes from November 24, 2015. However, Earth natural orbit around the Sun is creating a well-defined pattern of two earth change uptick periods and two earth change lull periods matching the circular motion of the magnetic North Pole migration pattern that is also very predictable. The missing variable in your equation involves magnetic portal connections and Black Star ability to siphon solar electromagnetism through the Sun/Black Star magnetic portal connection for redirection to the planets via a Black Star magnetic portal connection network based upon Black Star/planet proximity.

The Project Black Star Research is not only able to predict large-magnitude earthquake events at nearside and backside alignments, but we also know the week of each year that Earth will have the lowest number of key 2.5 to 4-magnitude earthquake events. That week for 2015 was the days leading up to January 19, 2015 on the winter side of the solar system and the days before August 15, 2015 on the summer side of the solar system. That week for 2014 was centered around January 5, 2014 on the summer side and the end of July 2015 on the summer side of the solar system all having sub-200 values. Each Earth Orbit Cycle relative to the Black Star begins with our planet moving into the 90-degree angle position relative to the Sun and Black Star, which just happened in the first week of February 2016. This marks the time that Earth turns around in orbit to begin the move 'towards' the Libra Constellation for the Black Star/Earth magnetic portal connection to begin shortening based upon Earth Orbital Velocity. The Black Star/Earth magnetic portal connection is comprised of two primary internal conduits with active conduits in the center and passive conduits lining the outside perimeter providing insulation properties. These portal connections connect, disconnect and reconnect on regular cycles, but passive conduits switch over to active state from nearing Black Star/Earth proximity giving the Black Star increased electromagnetic potential and causing our planet to receive higher doses of solar redirected electromagnetism being translated into heat energy through Earth metals/salts causing rapid heating of Earth core.

The first earth change uptick period for each Earth orbit cycle sees a sharp earthquake event increase, as our planet moves from outside-orbit position to Sun/Earth/Black Star alignment position; because Earth is moving towards the Black Star in natural orbit of the Sun. Then we have the big quake event at the nearside alignment to cross Black Star Orbit Path on May 20th of each year beginning the time that our planet is moving 'away' from the Black Star, because Earth Orbital Velocity is superior to Black Star movement left in the orbit diagram. The Black Star/Earth magnetic portal connection shortens from February through May, but then begins lengthening again to reduce Black Star electromagnetic potential allowing Earth core to cool down. Earth reaches that magical 90-degree angle position to turn around in orbit once again and Black Star/Earth proximity begins to decrease again from Black Star inbound velocity giving us the second earth change uptick period running to the backside alignment. Earth then sees the final earth change lull period, as our planet makes the move to outside-orbit position on the winter side to end the cycle and start things all over again.

Earth tectonic load resistance is changing, as our planet becomes more elastic from the expansion/contraction process; as Earth finds ways to maintain the appearance of equilibrium. This explains why the 9.5 Sumatra Quake (12/2004) was so devastating to create a 1-inch Earth Axis Shift.

Then the 8.8 Chile Quake (2.27.2010) saw more devastation and a 3-inch Earth Axis Shift followed by the 9.0 Fukushima Quake (3.11.2011) and the 4-inch Earth Axis Shift, but recent events on the Black Star Event Timeline have smaller magnitudes and even though the Black Star is nearer to our planet with each orbit cycle. The magnetic portal connection explanation allows us to understand how the Sun is seeming to enter a Maunder Minimum and at the same time that all the planets in the solar system including Earth are heating up from Black Star redirected solar electromagnetism causing the heliosphere to shrink 25 percent in the last decade for Solar Cycle 24 to flat line, as our Sun is showing about one half output of Solar Cycle 23. In short, our planet crust was much like a new balloon taken out of the package and difficult to inflate on the first try. However, inflate the balloon many times in succession and the process becomes easier and easier with the balloon become more elastic much like Earth surface is doing today.

John wrote: . . . that cometary electric force field will be focused along the line of interplanetary alignment and it will see (i.e. sense) a low resistance discharge path right along that planetary alignment line established by the conjunction of the comet, Saturn, Jupiter, Mars, Earth, and our Sun. The result would be a powerful electrical discharge -- a macrocosmic bolt of electricity.

My view is that electric charge transference from any comet is absorbed by Earth magnetosphere and minimal compared to electric charges exchanged between converging/crossing/diverging Sun/Black Star/Earth magnetic portal connections and portal-to-portal cross firing that generates highly-charged ionic clouds pushed towards the Sun between the converging portal connections. This is the phenomenon responsible for producing the Magnetopause Reversal Event from March 12-13, 2012 along with the Mystery Martian Dust Storm from March 12, 2012 on the same day.

3.12.2012 Reversal Event Video: <https://youtu.be/8gwoJGwVI1o>

3.12.2012 Martian Dust Storm Video: <https://www.youtube.com/watch?v=pRT24gN81-I>

Simply compare the forces for comet-originated lightning events versus the subatomic particle flows required to turn Earth magnetosphere around for more than a full day! Then realize these two events took place one year and one day 'after' Fukushima and one week 'before' the predicted Guerrero Quake Event from March 20, 2012. Both of these events took place at the same time that Earth was about to pass between the Sun and Black Star representing a convergence of the Sun/Black Star/Earth magnetic portal connections.

<https://www.dropbox.com/s/exmwabffewpevqo/Screenshot%20Martian%20Dust%20Storm%20Mars.png?dl=0>

Note Mars position on March 12, 2012 to realize the red planet is directly between the Earth and Black Star in the Leo Constellation. NASA was caught trying to scrub the servers of this important data that has been reconstructed in this GIF:

https://www.dropbox.com/s/cyj58purq506vuf/iswa_download.gif?dl=0

At some point you should realize that the subatomic particle flows with sufficient force to turn Earth magnetosphere around for 28 hours 'and' cause the Mystery Martian Dust Storm originating on the nighttime side of the red planet MUST originate from a nearby star moving through the Leo Constellation and must be the same star responsible for the seismic pattern with an aphelion position to

the right of Cancer. That same collapsed/invisible binary twin to our Sun has been tracked using these methods through Leo (2008-2012) and Virgo (2012-2015) and now the Libra Constellation verified by the near and backside-alignment quake events 'and' outside-orbit positions on either side of the solar system at the 90-degree angles where our planet sees a low in seismic activity. The comet electrical discharge modeling will include the fact that these bodies are always seeking neutral polarity. Positive and negatively-charged fields are created by comets nearing perihelion once with coma/tail formation process sees the comet shedding ice that becomes liquid inside the solar system frost line and near proximity to the Sun interacting with the solar wind. The process is much like what we see with thunderstorm formation where water droplets separate to generate highly-charged positive areas (positive on cloud top and negative on cloud bottom) through frictional charging. Any positive and negative charges building up around the comet still requires extreme near proximity to a third subatomic particle source to produce a lightning (sprite) strike with a much-higher likelihood of seeing these charges neutralize internally like a cloud-to-cloud lightning strike here on Earth. Then, even if environmental conditions are perfect, Earth magnetosphere absorbs any comet-produced energy bringing the comet positive/negative polarity situation back to neutral, until the process begins again and until the comet leaves the inner solar system. In fact, a closer examination of X-class solar flare activity in near proximity to near and backside-alignment quake events will also reveal a pattern from magnetic portal connection convergence and sprite formation from portal-to-portal cross firing and ionic cloud formation causing the Sun to launch these flares as a defensive/protective mechanism interpreting the electromagnetic field as a threat.

Thank you again for sharing,

Terral